

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



Figure 9

	C	Interval	Label Format
908	<= 1 Hour	Quarter Hours	HH:MM (am/pm) ₁ - HH:MM (am/pm) ₂
910	> 1 Hour; <= 24 Hours	Hours	HH:MM (am/pm) ₁ - HH:MM (am/pm) ₂
912	> 24 Hours; <= 7 Days	Days	[Monday, Tuesday...]
914	> 7 Days; <= 31 Days	Weeks	[Month ₁ Day ₁ - Month ₂ Day ₂]
916	> 31 Days; <= 365 Days	Months	[Month ₁ , Year ₁ - Month ₂ , Year ₂]
918	> 365 Days	Years	[Year ₁ - Year ₂]

U.S. Serial No.: 10/691,441 Atty. Dkt. No.: 003797.00723

Inventor: Colin R. Anthony, et al.

Filed: October 23, 2003

GRAPHICAL USER INTERFACE FOR 3-DIMENSIONAL VIEW OF A DATA
SECTION BASED ON AN ATTRIBUTE OF THE DATA